



KENNEL COUGH NOSODE PROTOCOLS



Don't risk longterm health for a shortsighted fix



© 2025 Vital Animal

KENNEL COUGH NOSODE PROTOCOLS

Nosodes are products of diseases that are made into remedies by dilution according to homeopathic principles. As such, they are not contagious to animals. They can be used therapeutically or preventively. Our usage here is for prevention of kennel cough. This will actually protect far better and be far safer than the kennel cough

The following schedule may be used whenever exposure is likely or known. Ideally, food should not be given for 10 minutes before or after the dose. You may find marking the calendar helpful in planning your

Dosage:

First, let's make a dropper bottle to leave at the kennel for your animal:

- To a clean 1 oz. dropper bottle, add 5-10 tiny granules of nosode from your vial
- Fill the bottle with purified water, almost all the way
- Add a dropper-full of brandy or vodka or some consumable alcohol (NOT isopropyl or denatured alcohol, both are poisonous). Bang the bottle on your palm ten whacks and it's ready to use.

For your animal, a dose is 6-8 drops of liquid nosodes given orally. If the staff don't want to do this, ask them to put it into the water dish.

For large kennel settings, take a dropper-full into a gallon of purified water, agitate, and use roughly a teaspoon per drinking cup.

****Note:** once mixed into water, potency will only last for a week, at most. If you want to keep the gallon longer, add 1/4 to 1/2 cup of brandy or vodka and agitate well. This should stay potent for a month or more, but best practice is to make fresh each week.

Protocol:

KC Nosode 30C, give a dose on entering the kennel, then a dose 1-2x a week. If the kennel is experiencing kennel cough, ask that they give this daily.

Continue this regimen until the risk is past, or your animal comes home.

Kennels may want to use weekly dosing year round. Shake the gallon of dilution vigorously before each dose. Pour a splash of the mixture into each water cup every Monday, for example.

If your kennel is in the midst of a KC outbreak, treat the waterers daily until it stops.

The nosodes may be repeated at any time risk of exposure is high.

Be sure to handle homeopathic remedies with care:

These are fragile medicines and can be inactivated by coming into contact with some of the following. Avoid:

- excessive heat
- direct sunlight
- strong odors, like camphor or other solvents
- magnetic fields (near microwave, stereo speakers or on the TV)

Common household things to avoid are Tiger Balm, White Flower, Vicks, mothballs, smoke, and perfume.

Store well sealed at room temperature in a dry, dark place.

Well cared for, remedies should last a lifetime. If you see cloudiness develop in a liquid dilution, it's best to replace it.

Please email me at the address below if any of this is unclear.

Support@vitalanimal.com